Mathematical Foundations of Data Sciences



Gabriel Peyré CNRS & DMA École Normale Supérieure gabriel.peyre@ens.fr https://mathematical-tours.github.io www.numerical-tours.com

September 11, 2024

Chapter 5

Inverse Problems

The main references for this chapter are [3, 6, 2].

5.1 Inverse Problems Regularization

Increasing the resolution of signals and images requires to solve an ill posed inverse problem. This corresponds to inverting a linear measurement operator that reduces the resolution of the image. This chapter makes use of convex regularization introduced in Chapter ?? to stabilize this inverse problem.

We consider a (usually) continuous linear map $\Phi : S \to \mathcal{H}$ where S can be an Hilbert or a more general Banach space. This operator is intended to capture the hardware acquisition process, which maps a high resolution unknown signal $f_0 \in S$ to a noisy low-resolution observation

$$y = \Phi f_0 + w \in \mathcal{H}$$

where $w \in \mathcal{H}$ models the acquisition noise. In this section, we do not use a random noise model, and simply assume that $||w||_{\mathcal{H}}$ is bounded.

In most applications, $\mathcal{H} = \mathbb{R}^P$ is finite dimensional, because the hardware involved in the acquisition can only record a finite (and often small) number P of observations. Furthermore, in order to implement numerically a recovery process on a computer, it also makes sense to restrict the attention to $\mathcal{S} = \mathbb{R}^N$, where N is number of point on the discretization grid, and is usually very large, $N \gg P$. However, in order to perform a mathematical analysis of the recovery process, and to be able to introduce meaningful models on the unknown f_0 , it still makes sense to consider infinite dimensional functional space (especially for the data space \mathcal{S}).

The difficulty of this problem is that the direct inversion of Φ is in general impossible or not advisable because Φ^{-1} have a large norm or is even discontinuous. This is further increased by the addition of some measurement noise w, so that the relation $\Phi^{-1}y = f_0 + \Phi^{-1}w$ would leads to an explosion of the noise $\Phi^{-1}w$.

We now gives a few representative examples of forward operators Φ .

Denoising. The case of the identity operator $\Phi = \mathrm{Id}_{\mathcal{S}}$, $\mathcal{S} = \mathcal{H}$ corresponds to the classical denoising problem, already treated in Chapters ?? and ??.

De-blurring and super-resolution. For a general operator Φ , the recovery of f_0 is more challenging, and this requires to perform both an inversion and a denoising. For many problem, this two goals are in contradiction, since usually inverting the operator increases the noise level. This is for instance the case for the deblurring problem, where Φ is a translation invariant operator, that corresponds to a low pass filtering with some kernel h

$$\Phi f = f \star h. \tag{5.1}$$

One can for instance consider this convolution over $S = \mathcal{H} = L^2(\mathbb{T}^d)$, see Proposition 4. In practice, this convolution is followed by a sampling on a grid $\Phi f = \{(f \star h)(x_k) ; 0 \leq k < P\}$, see Figure 5.1, middle, for an example of a low resolution image Φf_0 . Inverting such operator has important industrial application to upsample the content of digital photos and to compute high definition videos from low definition videos.

Interpolation and inpainting. Inpainting corresponds to interpolating missing pixels in an image. This is modelled by a diagonal operator over the spacial domain

$$(\Phi f)(x) = \begin{cases} 0 & \text{if } x \in \Omega, \\ f(x) & \text{if } x \notin \Omega. \end{cases}$$
(5.2)

where $\Omega \subset [0,1]^d$ (continuous model) or $\{0,\ldots,N-1\}$ which is then a set of missing pixels. Figure 5.1, right, shows an example of damaged image Φf_0 .



Original f_0

Low resolution Φf_0

Masked Φf_0



Medical imaging. Most medical imaging acquisition device only gives indirect access to the signal of interest, and is usually well approximated by such a linear operator Φ . In scanners, the acquisition operator is the Radon transform, which, thanks to the Fourier slice theorem, is equivalent to partial Fourier measurements along radial lines. Medical resonance imaging (MRI) is also equivalent to partial Fourier measures

$$\Phi f = \left\{ \hat{f}(x) \; ; \; x \in \Omega \right\}.$$
(5.3)

Here, Ω is a set of radial line for a scanner, and smooth curves (e.g. spirals) for MRI.

Other indirect application are obtained by electric or magnetic fields measurements of the brain activity (corresponding to MEG/EEG). Denoting $\Omega \subset \mathbb{R}^3$ the region around which measurements are performed (e.g. the head), in a crude approximation of these measurements, one can assume $\Phi f = \{(\psi \star f)(x) ; x \in \partial \Omega\}$ where $\psi(x)$ is a kernel accounting for the decay of the electric or magnetic field, e.g. $\psi(x) = 1/\|x\|^2$.

Regression for supervised learning. While the focus of this chapter is on imaging science, a closely related problem is supervised learning using linear model. The typical notations associated to this problem are usually different, which causes confusion. This problem is detailed in Chapter ??, which draws connection between regression and inverse problems. In statistical learning, one observes pairs $(x_i, y_i)_{i=1}^n$ of *n* observation, where the features are $x_i \in \mathbb{R}^p$. One seeks for a linear prediction model of the form $y_i = \langle \beta, x_i \rangle$ where the unknown parameter is $\beta \in \mathbb{R}^p$. Storing all the x_i as rows of a matrix $X \in \mathbb{R}^{n \times p}$, supervised learning aims at approximately solving $X\beta \approx y$. The problem is similar to the inverse problem $\Phi f = y$ where one performs the change of variable $\Phi \mapsto X$ and $f \mapsto \beta$, with dimensions $(P, N) \to (n, p)$. In statistical learning, one does not assume some well specified model $y = \Phi f_0 + w$, and the major difference is that the matrix Xis random, which add extra "noise" which needs to be controlled as $n \to +\infty$. The recovery is performed by the normalized ridge regression problem

$$\min_{\beta} \frac{1}{2n} \|X\beta - y\|^2 + \lambda \|\beta\|^2$$

so that the natural change of variable should be $\frac{1}{n}X^*X \sim \Phi^*\Phi$ (empirical covariance) and $\frac{1}{n}X^*y \sim \Phi^*y$. The law of large number shows that $\frac{1}{n}X^*X$ and $\frac{1}{n}X^*y$ are contaminated by a noise of amplitude $1/\sqrt{n}$, which plays the role of ||w||.

5.2 Warmup: Oracle Linear Inversion

We first consider a simpler setup were we seek for an "optimal" inversion method which is assumed to be diagonal in some basis. We will see later that these denoiser can also be seen as solving a multi-dimensional optimization problem (here, the optimization is just 1-dimensional over each basis coefficient).

We consider the inversion of an operator which is diagonal in an ortho-basis (ψ_k) :

$$\Phi f = \sum_{k} \varphi_k \langle f, \, \psi_k \rangle \, \psi_k,$$

where typically φ_k are attenuation factors. The observation model is

$$Y = \Phi f_0 + w$$

where w is a Gaussian white noise. For instance, if $(\psi_k)_k$ is the Fourier basis, this corresponds to a deconvolution problem $\Phi f = h \star f$ where $\hat{h}_k = \varphi_k$. We consider the same diagonal estimator \tilde{f} as in the denoising case:

$$\tilde{f} \coloneqq \sum_{k} \lambda_k \langle Y, \, \psi_k \rangle \, \psi_k.$$

The estimation error we aim at minimizing with respect to λ is thus

$$\mathbb{E}_{w} \|\tilde{f} - f_{0}\|^{2} = \sum_{k} \mathbb{E} \left| \langle \tilde{f} - f_{0}, \psi_{k} \rangle \right|^{2} = \sum_{k} \mathbb{E} \left| \lambda_{k} (\varphi_{k} c_{k} + \langle w, \psi_{k} \rangle) - c_{k} \right|^{2}$$

Leveraging the independence and the zero mean of the noise,

$$\mathbb{E}_{w} \|\tilde{f} - f_{0}\|^{2} = \sum_{k} |c_{k}|^{2} |\varphi_{k}\lambda_{k} - 1|^{2} + |\lambda_{k}|^{2} \sigma^{2}.$$

The optimal oracle denoiser solves

$$\min_{\lambda_k} |c_k|^2 |\varphi_k \lambda_k - 1|^2 + |\lambda_k|^2 \sigma^2,$$

i.e., it satisfies

$$|c_k|^2 \bar{\varphi_k} (\varphi_k \lambda_k - 1) + \sigma^2 \lambda_k = 0,$$

which gives

$$\lambda_k = \frac{|c_k|^2 \bar{\varphi_k}}{|c_k|^2 |\varphi_k|^2 + \sigma^2}.$$

When $\sigma \to 0$ (no noise), then, assuming $\varphi_k \neq 0$ so that the filter is invertible, one obtains the brute force inversion of the filter, independently of the signal content:

$$\lambda_k = \frac{1}{\varphi_k}.$$

As σ increases, this inversion is attenuated. For instance, if we consider a smooth signal over a Fourier basis, it can be modeled as having a polynomial decay $c_k^2 = 1/k^{\alpha}$. We consider also a low pass convolution with polynomial decay $|\varphi_k|^2 = 1/k^{\beta}$, then

$$\lambda_k = \frac{1/k^{\beta/2}}{1 + \sigma^2/k^{\alpha+\beta}}.$$

The shape of lambda is a bell curve: its limit is 1 for $k \to 0$ and is 0 for $k \to \infty$. It starts increasing to boost higher frequencies canceled by the filter, and then it decreases to prevent the explosion of the noise. It peaks at a maximum value at

$$k^{\star} = \left(\frac{\sigma^2 \beta}{\alpha}\right)^{\frac{1}{\alpha+\beta}}$$

5.3Theoretical Study of Quadratic Regularization

We now give a glimpse on the typical approach to obtain theoretical guarantee on recovery quality in the case of Hilbert space. The goal is not to be exhaustive, but rather to insist on the modelling hypotethese, namely smoothness implies a so called "source condition", and the inherent limitations of quadratic methods (namely slow rates and the impossibility to recover information in ker(Φ), i.e. to achieve super-resolution).

Singular Value Decomposition 5.3.1

Finite dimension. Let us start by the simple finite dimensional case $\Phi \in \mathbb{R}^{P \times N}$ so that $\mathcal{S} = \mathbb{R}^N$ and $\mathcal{H} = \mathbb{R}^P$ are Hilbert spaces. In this case, the Singular Value Decomposition (SVD) is the key to analyze the operator very precisely, and to describe linear inversion process.

Proposition 14 (SVD). There exists $(U, V) \in \mathbb{R}^{P \times R} \times \mathbb{R}^{N \times R}$, where $R = \operatorname{rank}(\Phi) = \dim(\operatorname{Im}(\Phi))$, with $U^{\top}U = V^{\top}V = \operatorname{Id}_{R}$, i.e. having orthogonal columns $(u_m)_{m=1}^R \subset \mathbb{R}^N$, $(v_m)_{m=1}^R \subset \mathbb{R}^P$, and $(\sigma_m)_{m=1}^R$ with $\sigma_m > 0$, such that

$$\Phi = U \operatorname{diag}_{m}(\sigma_{m}) V^{\top} = \sum_{m=1}^{R} \sigma_{m} u_{m} v_{m}^{\top}.$$
(5.4)

Proof. We first analyze the problem, and notice that if $\Phi = U\Sigma V^{\top}$ with $\Sigma = \operatorname{diag}_m(\sigma_m)$, then $\Phi\Phi^{\top} = U\Sigma^2 U^{\top}$ and then $V^{\top} = \Sigma^{-1} U^{\top} \Phi$. We can use this insight. Since $\Phi\Phi^{\top}$ is a positive symmetric matrix, we write its eigendecomposition as $\Phi\Phi^{\top} = U\Sigma^2 U^{\top}$ where $\Sigma = \operatorname{diag}_{m=1}^R(\sigma_m)$ with $\sigma_m > 0$. We then define $V \stackrel{\text{\tiny def.}}{=} \Phi^{\top} U \Sigma^{-1}$. One then verifies that

$$V^{\top}V = (\Sigma^{-1}U^{\top}\Phi)(\Phi^{\top}U\Sigma^{-1}) = \Sigma^{-1}U^{\top}(U\Sigma^{2}U^{\top})U\Sigma^{-1} = \mathrm{Id}_{R} \quad \mathrm{and} \quad U\Sigma V^{\top} = U\Sigma\Sigma^{-1}U^{\top}\Phi = \Phi.$$

This theorem is still valid with complex matrice, replacing \top by *. Expression (5.4) describes Φ as a sum of rank-1 matrices $u_m v_m^{\top}$. One usually order the singular values $(\sigma_m)_m$ in decaying order $\sigma_1 \ge \ldots \ge \sigma_R$. If these values are different, then the SVD is unique up to ± 1 sign change on the singular vectors.

The left singular vectors U is an orthonormal basis of $Im(\Phi)$, while the right singular values is an orthonormal basis of $\operatorname{Im}(\Phi^{\top}) = \ker(\Phi)^{\perp}$. The decomposition (5.4) is often call the "reduced" SVD because one has only kept the R non-zero singular values. The "full" SVD is obtained by completing U and V to define orthonormal bases of the full spaces \mathbb{R}^P and \mathbb{R}^N . Then Σ becomes a rectangular matrix of size $P \times N$. A typical example is for $\Phi f = f \star h$ over $\mathbb{R}^P = \mathbb{R}^N$, in which case the Fourier transform diagonalizes the

convolution. i.e.

$$\Phi = (u_m)_m^* \operatorname{diag}(h_m)(u_m)_m \tag{5.5}$$

where $(u_m)_n \stackrel{\text{def.}}{=} \frac{1}{\sqrt{N}} e^{\frac{2i\pi}{N}nm}$ so that the singular values are $\sigma_m = |\hat{h}_m|$ (removing the zero values) and the singular vectors are $(u_m)_n$ and $(v_m\theta_m)_n$ where $\theta_m \stackrel{\text{def}}{=} |\hat{h}_m|/\hat{h}_m$ is a unit complex number. Computing the SVD of a full matrix $\Phi \in \mathbb{R}^{N \times N}$ has complexity N^3 .

Compact operators. One can extend the decomposition to compact operators $\Phi : S \to \mathcal{H}$ between separable Hilbert space. A compact operator is such that ΦB_1 is pre-compact where $B_1 = \{s \in S ; \|s\| \leq 1\}$ is the unit-ball. This means that for any sequence $(\Phi s_k)_k$ where $s_k \in B_1$ one can extract a converging sub-sequence. Note that in infinite dimension, the identity operator $\Phi : S \to S$ is never compact.

Compact operators Φ can be shown to be equivalently defined as those for which an expansion of the form (5.4) holds

$$\Phi = \sum_{m=1}^{+\infty} \sigma_m u_m v_m^{\top} \tag{5.6}$$

where $(\sigma_m)_m$ is a decaying sequence converging to 0, $\sigma_m \to 0$. Here in (5.6) convergence holds in the operator norm, which is the algebra norm on linear operator inherited from those of S and \mathcal{H}

$$\|\Phi\|_{\mathcal{L}(\mathcal{S},\mathcal{H})} \stackrel{\text{\tiny def.}}{=} \min_{\|\Phi u\|_{\mathcal{H}}} \|u\|_{\mathcal{S}} \leqslant 1.$$

For Φ having an SVD decomposition (5.6), $\|\Phi\|_{\mathcal{L}(\mathcal{S},\mathcal{H})} = \sigma_1$.

When $\sigma_m = 0$ for m > R, Φ has a finite rank $R = \dim(\operatorname{Im}(\Phi))$. As we explain in the sections below, when using *linear* recovery methods (such as quadratic regularization), the inverse problem is equivalent to a finite dimensional problem, since one can restrict its attention to functions in $\ker(\Phi)^{\perp}$ which as dimension R. Of course, this is not true anymore when one can retrieve function inside $\ker(\Phi)$, which is often referred to as a "super-resolution" effect of non-linear methods. Another definition of compact operator is that they are the limit of finite rank operator. They are thus in some sense the extension of finite dimensional matrices, and are the correct setting to model ill-posed inverse problems. This definition can be extended to linear operator between Banach spaces, but this conclusion does not holds.

Typical example of compact operator are matrix-like operator with a continuous kernel k(x, y) for $(x, y) \in \Omega$ where Ω is a compact sub-set of \mathbb{R}^d (or the torus \mathbb{T}^d), i.e.

$$(\Phi f)(x) = \int_{\Omega} k(x, y) f(y) \mathrm{d}y$$

where dy is the Lebesgue measure. An example of such a setting which generalizes (5.5) is when $\Phi f = f \star h$ on $\mathbb{T}^d = (\mathbb{R}/2\pi\mathbb{Z})^d$, which is corresponds to a translation invariant kernel k(x, y) = h(x - y), in which case $u_m(x) = (2\pi)^{-d/2}e^{i\omega x}$, $\sigma_m = |\hat{f}_m|$. Another example on $\Omega = [0, 1]$ is the integration, $(\Phi f)(x) = \int_0^x f(y) dy$, which corresponds to k being the indicator of the "triangle", $k(x, y) = 1_{x \leq y}$.

Pseudo inverse. In the case where w = 0, it makes to try to directly solve $\Phi f = y$. The two obstruction for this is that one not necessarily has $y \in \text{Im}(\Phi)$ and even so, there are an infinite number of solutions if $\text{ker}(\Phi) \neq \{0\}$. The usual workaround is to solve this equation in the least square sense

$$f^+ \stackrel{\text{def.}}{=} \underset{\Phi f = y^+}{\operatorname{argmin}} \|f\|_{\mathcal{S}} \quad \text{where} \quad y^+ = \operatorname{Proj}_{\operatorname{Im}(\Phi)}(y) = \underset{z \in \operatorname{Im}(\Phi)}{\operatorname{argmin}} \|y - z\|_{\mathcal{H}}.$$

The following proposition shows how to compute this least square solution using the SVD and by solving linear systems involving either $\Phi\Phi^*$ or $\Phi^*\Phi$.

Proposition 15. One has

$$f^+ = \Phi^+ y \quad where \quad \Phi^+ = V \operatorname{diag}_m(1/\sigma_m) U^*. \tag{5.7}$$

In case that $\operatorname{Im}(\Phi) = \mathcal{H}$, one has $\Phi^+ = \Phi^*(\Phi\Phi^*)^{-1}$. In case that $\ker(\Phi) = \{0\}$, one has $\Phi^+ = (\Phi^*\Phi)^{-1}\Phi^*$.

Proof. Since U is an ortho-basis of $\operatorname{Im}(\Phi)$, $y^+ = UU^*y$, and thus $\Phi f = y^+$ reads $U\Sigma V^* f = UU^* y$ and hence $V^* f = \Sigma^{-1} U^* y$. Decomposition orthogonally $f = f_0 + r$ where $f_0 \in \ker(\Phi)^{\perp}$ and $r \in \ker(\Phi)$, one has $f_0 = VV^* f = V\Sigma^{-1} U^* y = \Phi^+ y$ is a constant. Minimizing $||f||^2 = ||f_0||^2 + ||r||^2$ is thus equivalent to minimizing ||r|| and hence r = 0 which is the desired result. If $\operatorname{Im}(\Phi) = \mathcal{H}$, then R = N so that $\Phi\Phi^* = U\Sigma^2 U^*$ is the eigen-decomposition of an invertible and $(\Phi\Phi^*)^{-1} = U\Sigma^{-2} U^*$. One then verifies $\Phi^*(\Phi\Phi^*)^{-1} = V\Sigma U^* U\Sigma^{-2} U^*$ which is the desired result. One deals similarly with the second case. \Box For convolution operators $\Phi f = f \star h$, then

$$\Phi^+ y = y \star h^+ \quad \text{where} \quad \hat{h}_m^+ = \begin{cases} \hat{h}_m^{-1} & \text{if} \quad \hat{h}_m \neq 0\\ 0 & \text{if} \quad \hat{h}_m = 0. \end{cases}$$

5.3.2 Tikonov Regularization

Regularized inverse. When there is noise, using formula (5.7) is not acceptable, because then

$$\Phi^+ y = \Phi^+ \Phi f_0 + \Phi^+ w = f_0^+ + \Phi^+ w \quad \text{where} \quad f_0^+ \stackrel{\text{def.}}{=} \operatorname{Proj}_{\ker(\Phi)^\perp},$$

so that the recovery error is $\|\Phi^+ y - f_0^+\| = \|\Phi^+ w\|$. This quantity can be as larges as $\|w\|/\sigma_R$ if $w \propto u_R$. The noise is thus amplified by the inverse $1/\sigma_R$ of the smallest amplitude non-zero singular values, which can be very large. In infinite dimension, one typically has $R = +\infty$, so that the inverse is actually not bounded (discontinuous). It is thus mendatory to replace Φ^+ by a regularized approximate inverse, which should have the form

$$\Phi_{\lambda}^{+} = V \operatorname{diag}_{m}(\mu_{\lambda}(\sigma_{m}))U^{*}$$
(5.8)

where μ_{λ} , indexed by some parameter $\lambda > 0$, is a regularization of the inverse, that should typically satisfies

$$\mu_{\lambda}(\sigma) \leqslant C_{\lambda} < +\infty \text{ and } \lim_{\lambda \to 0} \mu_{\lambda}(\sigma) = \frac{1}{\sigma}$$

Figure 5.2, left, shows a typical example of such a regularized inverse curve, obtained by thresholding.

Variational regularization. A typical example of such regularized inverse is obtained by considering a penalized least square involving a regularization functional

$$f_{\lambda} \stackrel{\text{def.}}{=} \operatorname*{argmin}_{f \in \mathcal{S}} \|y - \Phi f\|_{\mathcal{H}}^2 + \lambda J(f)$$
(5.9)

where J is some regularization functional which should at least be continuous on S. The simplest example is the quadratic norm $J = \| \cdot \|_{S}^{2}$,

$$f_{\lambda} \stackrel{\text{\tiny def.}}{=} \underset{f \in \mathcal{S}}{\operatorname{argmin}} \|y - \Phi f\|_{\mathcal{H}}^2 + \lambda \|f\|^2$$
(5.10)

which is indeed a special case of (5.8) as proved in Proposition 16 below. In this case, the regularized solution is obtained by solving a linear system

$$f_{\lambda} = (\Phi^* \Phi + \lambda \mathrm{Id}_P)^{-1} \Phi^* y.$$
(5.11)

This shows that $f_{\lambda} \in \text{Im}(\Phi^*) = \text{ker}(\Phi)^{\perp}$, and that it depends linearly on y.

Proposition 16. The solution of (5.10) has the form $f_{\lambda} = \Phi_{\lambda}^+ y$ as defined in (5.8) for the specific choice of function

$$\forall \sigma \in \mathbb{R}, \quad \mu_{\lambda}(\sigma) = \frac{\sigma}{\sigma^2 + \lambda}$$

Proof. Using expression (5.11) and plugging the SVD $\Phi = U\Sigma V^*$ leads to

$$\Phi_{\lambda}^{+} = (V\Sigma^{2}V^{*} + \lambda VV^{*})^{-1}V\Sigma U^{*} = V^{*}(\Sigma^{2} + \lambda)^{-1}\Sigma U^{*}$$

which is the desired expression since $(\Sigma^2 + \lambda)^{-1}\Sigma = \text{diag}(\mu_{\lambda}(\sigma_m))_m$.

A special case is when $\Phi f = f \star h$ is a convolution operator. In this case, the regularized inverse is computed in $O(N \log(N))$ operation using the FFT as follow

$$\hat{f}_{\lambda,m} = \frac{\hat{h}_m^*}{|\hat{h}_m|^2 + \sigma^2} \hat{y}_m$$

Figure 5.2 contrast the regularization curve associated to quadratic regularization (5.11) (right) to the simpler thresholding curve (left).

The question is to understand how to choose λ as a function of the noise level $||w||_{\mathcal{H}}$ in order to guarantees that $f_{\lambda} \to f_0$ and furthermore establish convergence speed. One first needs to ensure at least $f_0 = f_0^+$, which in turns requires that $f_0 \in \operatorname{Im}(\Phi^*) = \ker(\Phi)^{\perp}$. Indeed, an important drawback of linear recovery methods (such as quadratic regularization) is that necessarily $f_{\lambda} \in \operatorname{Im}(\Phi^*) = \ker(\Phi^{\perp})$ so that no information can be recovered inside $\ker(\Phi)$. Non-linear methods must be used to achieve a "super-resolution" effect and recover this missing information.

Source condition. In order to ensure convergence speed, one quantify this condition and impose a socalled source condition of order β , which reads

$$f_0 \in \operatorname{Im}((\Phi^* \Phi)^\beta) = \operatorname{Im}(V \operatorname{diag}(\sigma_m^{2\beta}) V^*).$$
(5.12)

In some sense, the larger β , the farther f_0 is away from ker (Φ) , and thus the inversion problem is "easy". This condition means that there should exists $z \in \mathbb{R}^P$ such that $f_0 = V \operatorname{diag}(\sigma_m^{2\beta})V^*z$, i.e. $z = V \operatorname{diag}(\sigma_m^{-2\beta})V^*f_0$. In order to control the strength of this source condition, we assume $||z|| \leq \rho$ where $\rho > 0$. The source condition thus corresponds to the following constraint

$$\sum_{m} \sigma_m^{-2\beta} \langle f_0, v_m \rangle^2 \leqslant \rho^2 < +\infty.$$
 (S_{\beta,\rho)}

This is a Sobolev-type constraint, similar to those imposed in 4.6. A prototypical example is for a lowpass filter $\Phi f = f \star h$ where h as a slow polynomial-like decay of frequency, i.e. $|\hat{h}_m| \sim 1/m^{\alpha}$ for large m. In this case, since v_m is the Fourier basis, the source condition $(S_{\beta,\rho})$ reads

$$\sum_m \|m\|^{2\alpha\beta} |\widehat{f}_m|^2 \leqslant \rho^2 < +\infty,$$

which is a Sobolev ball of radius ρ and differential order $\alpha\beta$.

Sublinear convergence speed. The following theorem shows that this source condition leads to a convergence speed of the regularization. Imposing a bound $||w|| \leq \delta$ on the noise, the theoretical analysis of the inverse problem thus depends on the parameters (δ, ρ, β) . Assuming $f_0 \in \ker(\Phi)^{\perp}$, the goal of the theoretical analysis corresponds to studying the speed of convergence of f_{λ} toward f_0 , when using $y = \Phi f_0 + w$ as $\delta \to 0$. This requires to decide how λ should depends on δ .

Theorem 5. Assuming the source condition $(S_{\beta,\rho})$ with $0 < \beta \leq 2$, then the solution of (5.10) for $||w|| \leq \delta$ satisfies

$$\|f_{\lambda} - f_0\| \leqslant C\rho^{\frac{1}{\beta+1}}\delta^{\frac{\beta}{\beta+1}}$$

for a constant C which depends only on β , and for a choice

$$\lambda \sim \delta^{\frac{2}{\beta+1}} \rho^{-\frac{2}{\beta+1}}.$$

Proof. Because of the source condition, $f_0 \in \text{Im}(\Phi^*)$. We decompose

$$f_{\lambda} = \Phi_{\lambda}^{+}(\Phi f_{0} + w) = f_{\lambda}^{0} + \Phi_{\lambda}^{+}w \quad \text{where} \quad f_{\lambda}^{0} \stackrel{\text{def.}}{=} \Phi_{\lambda}^{+}(\Phi f_{0}),$$

so that $f_{\lambda} = f_{\lambda}^{0} + \Phi_{\lambda}^{+} w$, one has for any regularized inverse of the form (5.8)

$$\|f_{\lambda} - f_0\| \leqslant \|f_{\lambda} - f_{\lambda}^0\| + \|f_{\lambda}^0 - f_0\|.$$
(5.13)

The term $||f_{\lambda} - f_{\lambda}^{0}||$ is a variance term which account for residual noise, and thus decays when λ increases (more regularization). The term $||f_{\lambda}^{0} - f_{0}||$ is independent of the noise, it is a bias term coming from the



Figure 5.2: Bounding $\mu_{\lambda}(\sigma) \leq C_{\lambda} = \frac{1}{2\sqrt{\lambda}}$.

approximation (smoothing) of f_0 , and thus increases when λ increases. The choice of an optimal λ thus results in a bias-variance tradeoff between these two terms. Assuming

$$\forall \sigma \ge 0, \quad \mu_{\lambda}(\sigma) \le C_{\lambda}$$

the variance term is bounded as

$$\|f_{\lambda} - f_{\lambda}^{0}\|^{2} = \|\Phi_{\lambda}^{+}w\|^{2} = \sum_{m} \mu_{\lambda}(\sigma_{m})^{2}w_{m}^{2} \leqslant C_{\lambda}^{2}\|w\|_{\mathcal{H}}^{2}.$$

The bias term is bounded as, since $\frac{f_{0,m}^2}{\sigma_m^{2\beta}} = z_m^2$,

$$\|f_{\lambda}^{0} - f_{0}\|^{2} = \sum_{m} (1 - \mu_{\lambda}(\sigma_{m})\sigma_{m})^{2} f_{0,m}^{2} = \sum_{m} \left((1 - \mu_{\lambda}(\sigma_{m})\sigma_{m})\sigma_{m}^{\beta} \right)^{2} \frac{f_{0,m}^{2}}{\sigma_{m}^{2\beta}} \leqslant D_{\lambda,\beta}^{2} \rho^{2}$$
(5.14)

where we assumed

$$\forall \sigma \ge 0, \quad \left| (1 - \mu_{\lambda}(\sigma)\sigma)\sigma^{\beta} \right| \le D_{\lambda,\beta}.$$
(5.15)

Note that for $\beta > 2$, one has $D_{\lambda,\beta} = +\infty$ Putting (5.14) and (5.15) together, one obtains

$$\|f_{\lambda} - f_0\| \leqslant C_{\lambda}\delta + D_{\lambda,\beta}\rho.$$
(5.16)

In the case of the regularization (5.10), one has $\mu_{\lambda}(\sigma) = \frac{\sigma}{\sigma^2 + \lambda}$, and thus $(1 - \mu_{\lambda}(\sigma)\sigma)\sigma^{\beta} = \frac{\lambda\sigma^{\beta}}{\sigma^2 + \lambda}$. For $\beta \leq 2$, one verifies (see Figure 5.2 and 5.3) that

$$C_{\lambda} = rac{1}{2\sqrt{\lambda}} \quad ext{and} \quad D_{\lambda,eta} = c_{eta}\lambda^{rac{eta}{2}},$$

for some constant c_{β} . Equalizing the contributions of the two terms in (5.16) (a better constant would be reached by finding the best λ) leads to selecting $\frac{\delta}{\sqrt{\lambda}} = \lambda^{\frac{\beta}{2}} \rho$ i.e. $\lambda = (\delta/\rho)^{\frac{2}{\beta+1}}$. With this choice,

$$\|f_{\lambda} - f_0\| = O(\delta/\sqrt{\lambda}) = O(\delta(\delta/\rho)^{-\frac{1}{\beta+1}}) = O(\delta^{\frac{\beta}{\beta+1}}\rho^{\frac{1}{\beta+1}}).$$

This theorem shows that using larger $\beta \leq 2$ leads to faster convergence rates as ||w|| drops to zero. The rate (5.13) however suffers from a "saturation" effect, indeed, choosing $\beta > 2$ does not helps (it gives the same rate as $\beta = 2$), and the best possible rate is thus

$$||f_{\lambda} - f_0|| = O(\rho^{\frac{1}{3}} \delta^{\frac{2}{3}}).$$

By choosing more alternative regularization functional μ_{λ} and choosing β large enough, one can show that it is possible to reach rate $||f_{\lambda} - f_0|| = O(\delta^{1-\kappa})$ for an arbitrary small $\kappa > 0$. Figure 5.2 contrast the regularization curve associated to quadratic regularization (5.11) (right) to the simpler thresholding curve (left) which does not suffers from saturation. Quadratic regularization however is much simpler to implement because it does not need to compute an SVD, is defined using a variational optimization problem and is computable as the solution of a linear system. One cannot however reach a linear rate $||f_{\lambda} - f_0|| = O(||w||)$. Such rates are achievable using non-linear sparse ℓ^1 regularizations as detailed in Chapter ??.



Figure 5.3: Bounding $\lambda \frac{\sigma^{\beta}}{\lambda + \sigma^2} \leq D_{\lambda,\beta}$.

5.4 Quadratic Regularization

After this theoretical study in infinite dimension, we now turn our attention to more practical matters, and focus only on the finite dimensional setting.

Convex regularization. Following (5.9), the ill-posed problem of recovering an approximation of the high resolution image $f_0 \in \mathbb{R}^N$ from noisy measures $y = \Phi f_0 + w \in \mathbb{R}^P$ is regularized by solving a convex optimization problem

$$f_{\lambda} \in \underset{f \in \mathbb{R}^{N}}{\operatorname{argmin}} \ \mathcal{E}(f) \stackrel{\text{def.}}{=} \frac{1}{2} \|y - \Phi f\|^{2} + \lambda J(f)$$
(5.17)

where $||y - \Phi f||^2$ is the data fitting term (here $|| \cdot ||$ is the ℓ^2 norm on \mathbb{R}^P) and J(f) is a convex functional on \mathbb{R}^N .

The Lagrange multiplier λ weights the importance of these two terms, and is in practice difficult to set. Simulation can be performed on high resolution signal f_0 to calibrate the multiplier by minimizing the super-resolution error $||f_0 - \tilde{f}||$, but this is usually difficult to do on real life problems.

In the case where there is no noise, w = 0, the Lagrange multiplier λ should be set as small as possible. In the limit where $\lambda \to 0$, the unconstrained optimization problem (5.17) becomes a constrained optimization, as the following proposition explains. Let us stress that, without loss of generality, we can assume that $y \in \text{Im}(\Phi)$, because one has the orthogonal decomposition

$$||y - \Phi f||^2 = ||y - \operatorname{Proj}_{\operatorname{Im}(\Phi)}(y)||^2 + ||\operatorname{Proj}_{\operatorname{Im}(\Phi)}(y) - \Phi f||^2$$

so that one can replace y by $\operatorname{Proj}_{\operatorname{Im}(\Phi)}(y)$ in (5.17).

Let us recall that a function J is coercive if

$$\lim_{\|f\|\to+\infty} J(f) = +\infty$$

i.e.

$$\forall \, K, \; \exists R, \|x\| \geqslant R \quad \Longrightarrow \quad |J(f)| \geqslant K.$$

This means that its non-empty levelsets $\{f ; J(f) \leq c\}$ are bounded (and hence compact) for all c.

Proposition 17. We assume that J is coercive and that $y \in \text{Im}(\Phi)$. Then, if for each λ , f_{λ} is a solution of (5.17), then $(f_{\lambda})_{\lambda}$ is a bounded set and any accumulation point f^{\star} is a solution of

$$f^{\star} = \underset{f \in \mathbb{R}^{N}}{\operatorname{argmin}} \left\{ J(f) \; ; \; \Phi f = y \right\}.$$
(5.18)

Proof. Denoting h, any solution to (5.18), which in particular satisfies $\Phi h = y$, because of the optimality condition of f_{λ} for (5.17), one has

$$\frac{1}{2\lambda} \|\Phi f_{\lambda} - y\|^2 + J(f_{\lambda}) \leqslant \frac{1}{2\lambda} \|\Phi h - y\|^2 + J(h) = J(h)$$

This shows that $J(f_{\lambda}) \leq J(h)$ so that since J is coercive the set $(f_{\lambda})_{\lambda}$ is bounded and thus one can consider an accumulation point $f_{\lambda_k} \to f^*$ for $k \to +\infty$. Since $\|\Phi f_{\lambda_k} - y\|^2 \leq \lambda_k J(h)$, one has in the limit $\Phi f^* = y$, so that f^* satisfies the constraints in (5.18). Furthermore, by continuity of J, passing to the limit in $J(f_{\lambda_k}) \leq J(h)$, one obtains $J(f^*) \leq J(h)$ so that f^* is a solution of (5.18).

Note that it is possible to extend this proposition in the case where J is not necessarily coercive on the full space (for instance the TV functionals in Section 5.5.1 below) but on the orthogonal to ker(Φ). The proof is more difficult.

Quadratic Regularization. The simplest class of prior functional are quadratic, and can be written as

$$J(f) = \frac{1}{2} \|Gf\|_{\mathbb{R}^{K}}^{2} = \frac{1}{2} \langle Lf, f \rangle_{\mathbb{R}^{N}}$$
(5.19)

where $G \in \mathbb{R}^{K \times N}$ and where $L = G^* G \in \mathbb{R}^{N \times N}$ is a positive semi-definite matrix. The special case (5.10) is recovered when setting $G = L = \mathrm{Id}_N$.

Writing down the first order optimality conditions for (5.17) leads to

$$\nabla \mathcal{E}(f) = \Phi^*(\Phi f - y) + \lambda L f = 0,$$

hence, if

$$\ker(\Phi) \cap \ker(G) = \{0\},\$$

then (5.19) has a unique minimizer f_{λ} , which is obtained by solving a linear system

$$f_{\lambda} = (\Phi^* \Phi + \lambda L)^{-1} \Phi^* y. \tag{5.20}$$

In the special case where L is diagonalized by the singular basis $(v_m)_m$ of Φ , i.e. $L = V \operatorname{diag}(\alpha_m^2)V^*$, then f_{λ} reads in this basis

$$\langle f_{\lambda}, v_{m} \rangle = \frac{\sigma_{m}}{\sigma_{m}^{2} + \lambda \alpha_{m}^{2}} \langle y, v_{m} \rangle.$$
 (5.21)

Example of convolution. A specific example is for convolution operator

$$\Phi f = h \star f,\tag{5.22}$$

and using $G = \nabla$ be a discretization of the gradient operator, such as for instance using first order finite differences (2.16). This corresponds to the discrete Sobolev prior introduced in Section ??. Such an operator compute, for a *d*-dimensional signal $f \in \mathbb{R}^N$ (for instance a 1-D signal for d = 1 or an image when d = 2), an approximation $\nabla f_n \in \mathbb{R}^d$ of the gradient vector at each sample location *n*. Thus typically, $\nabla : f \mapsto (\nabla f_n)_n \in$ $\mathbb{R}^{N \times d}$ maps to *d*-dimensional vector fields. Then $-\nabla^* : \mathbb{R}^{N \times d} \to \mathbb{R}^N$ is a discretized divergence operator. In this case, $\Delta = -GG^*$ is a discretization of the Laplacian, which is itself a convolution operator. One then has

$$\hat{f}_{\lambda,m} = \frac{h_m^* \hat{y}_m}{|\hat{h}_m|^2 - \lambda \hat{d}_{2,m}},$$
(5.23)

where \hat{d}_2 is the Fourier transform of the filter d_2 corresponding to the Laplacian. For instance, in dimension 1, using first order finite differences, the expression for $\hat{d}_{2,m}$ is given in (2.18).

5.4.1 Solving Linear System

When Φ and L do not share the same singular spaces, using (5.21) is not possible, so that one needs to solve the linear system (5.20), which can be rewritten as

$$Af = b$$
 where $A \stackrel{\text{\tiny def.}}{=} \Phi^* \Phi + \lambda L$ and $b = \Phi^* y$

It is possible to solve exactly this linear system with direct methods for moderate N (up to a few thousands), and the numerical complexity for a generic A is $O(N^3)$. Since the involved matrix A is symmetric, the best option is to use Choleski factorization $A = BB^*$ where B is lower-triangular. In favorable cases, this factorization (possibly with some re-re-ordering of the row and columns) can take advantage of some sparsity in A.

For large N, such exact resolution is not an option, and should use approximate iterative solvers, which only access A through matrix-vector multiplication. This is especially advantageous for imaging applications, where such multiplications are in general much faster than a naive $O(N^2)$ explicit computation. If the matrix A is highly sparse, this typically necessitates O(N) operations. In the case where A is symmetric and positive definite (which is the case here), the most well known method is the conjugate gradient methods, which is actually an optimization method solving

$$\min_{f \in \mathbb{R}^N} \mathcal{E}(f) \stackrel{\text{def.}}{=} \mathcal{Q}(f) \stackrel{\text{def.}}{=} \langle Af, f \rangle - \langle f, b \rangle$$
(5.24)

which is equivalent to the initial minimization (5.17). Instead of doing a naive gradient descent (as studied in Section 5.5.2 below), stating from an arbitrary $f^{(0)}$, it compute a new iterate $f^{(\ell+1)}$ from the previous iterates as

$$f^{(\ell+1)} \stackrel{\text{def.}}{=} \operatorname{argmin}_{f} \left\{ \mathcal{E}(f) \; ; \; f \in f^{(\ell)} + \operatorname{Span}(\nabla \mathcal{E}(f^{(0)}), \dots, \nabla \mathcal{E}(f^{\ell})) \right\}$$

The crucial and remarkable fact is that this minimization can be computed in closed form at the cost of two matrix-vector product per iteration, for $k \ge 1$ (posing initially $d^{(0)} = \nabla \mathcal{E}(f^{(0)}) = Af^{(0)} - b$)

$$f^{(\ell+1)} = f^{(\ell)} - \tau_{\ell} d^{(\ell)} \quad \text{where} \quad d^{(\ell)} = g_{\ell} + \frac{\|g^{(\ell)}\|^2}{\|g^{(\ell-1)}\|^2} d^{(\ell-1)} \quad \text{and} \quad \tau_{\ell} = \frac{\langle g_{\ell}, d^{(\ell)} \rangle}{\langle Ad^{(\ell)}, d^{(\ell)} \rangle} \tag{5.25}$$

 $g^{(\ell)} \stackrel{\text{def.}}{=} \nabla \mathcal{E}(f^{(\ell)}) = Af^{(\ell)} - b$. It can also be shown that the direction $d^{(\ell)}$ are orthogonal, so that after $\ell = N$ iterations, the conjugate gradient computes the unique solution $f^{(\ell)}$ of the linear system Af = b. It is however rarely used this way (as an exact solver), and in practice much less than N iterates are computed. It should also be noted that iterations (5.25) can be carried over for an arbitrary smooth convex function \mathcal{E} , and it typically improves over the gradient descent (although in practice quasi-Newton method are often preferred).

5.5 Non-Quadratic Regularization

5.5.1 Total Variation Regularization

A major issue with quadratic regularization such as (5.19) is that they typically leads to blurry recovered data f_{λ} , which is thus not a good approximation of f_0 when it contains sharp transition such as edges in images. This is can clearly be seen in the convolutive case (5.23), this the restoration operator $\Phi_{\lambda}^+ \Phi$ is a filtering, which tends to smooth sharp part of the data.

This phenomena can also be understood because the restored data f_{λ} always belongs to $\text{Im}(\Phi^*) = \text{ker}(\Phi)^{\perp}$, and thus cannot contains "high frequency" details that are lost in the kernel of Φ . To alleviate this shortcoming, and recover missing information in the kernel, it is thus necessarily to consider non-quadratic and in fact non-smooth regularization.

Total variation. The most well know instance of such a non-quadratic and non-smooth regularization is the total variation prior. For smooth function $f : \mathbb{R}^d \to \mathbb{R}$, this amounts to replacing the quadratic Sobolev energy (often called Dirichlet energy)

$$J_{\rm Sob}(f) \stackrel{\text{\tiny def.}}{=} \frac{1}{2} \int_{\mathbb{R}^d} \|\nabla f\|_{\mathbb{R}^d}^2 \mathrm{d}x,$$

where $\nabla f(x) = (\partial_{x_1} f(x), \dots, \partial_{x_d} f(x))^\top$ is the gradient, by the (vectorial) L^1 norm of the gradient

$$J_{\mathrm{TV}}(f) \stackrel{\text{def.}}{=} \int_{\mathbb{R}^d} \|\nabla f\|_{\mathbb{R}^d} \mathrm{d}x.$$

We refer also to Section ?? about these priors. Simply "removing" the square ² inside the integral might seems light a small change, but in fact it is a game changer.

Indeed, while $J_{\text{Sob}}(1_{\Omega}) = +\infty$ where 1_{Ω} is the indicator a set Ω with finite perimeter $|\Omega| < +\infty$, one can show that $J_{\text{TV}}(1_{\Omega}) = |\Omega|$, if one interpret ∇f as a distribution Df (actually a vectorial Radon measure) and $\int_{\mathbb{R}^d} \|\nabla f\|_{\mathbb{R}^d} dx$ is replaced by the total mass $|Df|(\Omega)$ of this distribution m = Df

$$|m|(\Omega) = \sup\left\{\int_{\mathbb{R}^d} \langle h(x), \, \mathrm{d}m(x)\rangle \; ; \; h \in \mathcal{C}(\mathbb{R}^d \mapsto \mathbb{R}^d), \forall x, \|h(x)\| \leq 1\right\}.$$

The total variation of a function such that Df has a bounded total mass (a so-called bounded variation function) is hence defined as

$$J_{\mathrm{TV}}(f) \stackrel{\text{\tiny def.}}{=} \sup\left\{\int_{\mathbb{R}^d} f(x) \operatorname{div}(h)(x) \mathrm{d}x \; ; \; h \in \mathcal{C}^1_c(\mathbb{R}^d; \mathbb{R}^d), \|h\|_{\infty} \leqslant 1\right\}.$$

Generalizing the fact that $J_{\rm TV}(1_{\Omega}) = |\Omega|$, the functional co-area formula reads

$$J_{\mathrm{TV}}(f) = \int_{\mathbb{R}} \mathcal{H}_{d-1}(L_t(f)) \mathrm{d}t \quad \text{where} \quad L_t(f) = \{x \; ; \; f(x) = t\}$$

and where \mathcal{H}_{d-1} is the Hausforf measures of dimension d-1, for instance, for d=2 if L has finite perimeter |L|, then $\mathcal{H}_{d-1}(L) = |L|$ is the perimeter of L.

Discretized Total variation. For discretized data $f \in \mathbb{R}^N$, one can define a discretized TV semi-norm as detailed in Section ??, and it reads, generalizing (??) to any dimension

$$J_{\mathrm{TV}}(f) = \sum_{n} \|\nabla f_n\|_{\mathbb{R}^d}$$

where $\nabla f_n \in \mathbb{R}^d$ is a finite difference gradient at location indexed by n.

The discrete total variation prior $J_{\text{TV}}(f)$ defined in (??) is a convex but non differentiable function of f, since a term of the form $\|\nabla f_n\|$ is non differentiable if $\nabla f_n = 0$. We defer to chapters ?? and ?? the study of advanced non-smooth convex optimization technics that allows to handle this kind of functionals.

In order to be able to use simple gradient descent methods, one needs to smooth the TV functional. The general machinery proceeds by replacing the non-smooth ℓ^2 Euclidean norm $\|\cdot\|$ by a smoothed version, for instance

$$\forall u \in \mathbb{R}^d, \quad \|u\|_{\varepsilon} \stackrel{\text{\tiny def.}}{=} \sqrt{\varepsilon^2 + \|u\|}.$$

This leads to the definition of a smoothed approximate TV functional, already introduced in (??),

$$J_{\mathrm{TV}}^{\varepsilon}(f) \stackrel{\text{\tiny def.}}{=} \sum_{n} \|\nabla f_n\|_{\varepsilon}$$

One has the following asymptotics for $\varepsilon \to \{0, +\infty\}$

$$\|u\|_{\varepsilon} \xrightarrow{\varepsilon \to 0} \|u\|$$
 and $\|u\|_{\varepsilon} = \varepsilon + \frac{1}{2\varepsilon} \|u\|^2 + O(1/\varepsilon^2)$

which suggest that $J_{\text{TV}}^{\varepsilon}$ interpolates between J_{TV} and J_{Sob} .

The resulting inverse regularization problem (5.17) thus reads

$$f_{\lambda} \stackrel{\text{def.}}{=} \operatorname*{argmin}_{f \in \mathbb{R}^{N}} \mathcal{E}(f) = \frac{1}{2} \|y - \Phi f\|^{2} + \lambda J_{\text{TV}}^{\varepsilon}(f)$$
(5.26)

It is a strictly convex problem (because $\|\cdot\|_{\varepsilon}$ is strictly convex for $\varepsilon > 0$) so that its solution f_{λ} is unique.

5.5.2 Gradient Descent Method

The optimization program (5.26) is a example of smooth unconstrained convex optimization of the form

$$\min_{f \in \mathbb{R}^N} \mathcal{E}(f) \tag{5.27}$$

where $\mathcal{E} : \mathbb{R}^N \to \mathbb{R}$ is a \mathcal{C}^1 function. Recall that the gradient $\nabla \mathcal{E} : \mathbb{R}^N \mapsto \mathbb{R}^N$ of this functional (not to be confound with the discretized gradient $\nabla f \in \mathbb{R}^N$ of f) is defined by the following first order relation

$$\mathcal{E}(f+r) = \mathcal{E}(f) + \langle f, r \rangle_{\mathbb{R}^N} + O(\|r\|_{\mathbb{R}^N}^2)$$

where we used $O(||r||_{\mathbb{R}^N}^2)$ in place of $o(||r||_{\mathbb{R}^N})$ (for differentiable function) because we assume here \mathcal{E} is of class \mathcal{C}^1 (i.e. the gradient is continuous).

For such a function, the gradient descent algorithm is defined as

$$f^{(\ell+1)} \stackrel{\text{\tiny def.}}{=} f^{(\ell)} - \tau_{\ell} \nabla \mathcal{E}(f^{(\ell)}), \tag{5.28}$$

where the step size $\tau_{\ell} > 0$ should be small enough to guarantee convergence, but large enough for this algorithm to be fast.

We refer to Section 5.5.2 for a detailed analysis of the convergence of the gradient descent, and a study of the influence of the step size τ_{ℓ} .

5.5.3 Examples of Gradient Computation

Note that the gradient of a quadratic function $\mathcal{Q}(f)$ of the form (5.24) reads

$$\nabla \mathcal{G}(f) = Af - b.$$

In particular, one retrieves that the first order optimality condition $\nabla \mathcal{G}(f) = 0$ is equivalent to the linear system Af = b.

For the quadratic fidelity term $\mathcal{G}(f) = \frac{1}{2} \|\Phi f - y\|^2$, one thus obtains

$$\nabla \mathcal{G}(f) = \Phi^*(\Phi y - y).$$

In the special case of the regularized TV problem (5.26), the gradient of \mathcal{E} reads

$$\nabla \mathcal{E}(f) = \Phi^*(\Phi y - y) + \lambda \nabla J^{\varepsilon}_{\mathrm{TV}}(f).$$

Recall the chain rule for differential reads $\partial(\mathcal{G}_1 \circ \mathcal{G}_2) = \partial \mathcal{G}_1 \circ \partial \mathcal{G}_2$, but that gradient vectors are actually transposed of differentials, so that for $\mathcal{E} = \mathcal{F} \circ \mathcal{H}$ where $\mathcal{F} : \mathbb{R}^P \to \mathbb{R}$ and $\mathcal{H} : \mathbb{R}^N \to \mathbb{R}^P$, one has

$$\nabla \mathcal{E}(f) = [\partial \mathcal{H}(f)]^* \left(\nabla \mathcal{F}(\mathcal{H}f) \right).$$

Since $J_{\mathrm{TV}}^{\varepsilon} = \| \cdot \|_{1,\varepsilon} \circ \nabla$, one thus has

$$\nabla J_{\mathrm{TV}}^{\varepsilon} = \nabla^{\star} \circ (\partial \| \cdot \|_{1,\varepsilon}) \quad \text{where} \quad \|u\|_{1,\varepsilon} = \sum_{n} \|u_{n}\|_{\varepsilon}$$

so that

$$J_{\mathrm{TV}}^{\varepsilon}(f) = -\operatorname{div}(\mathcal{N}^{\varepsilon}(\nabla f)),$$

where $\mathcal{N}^{\varepsilon}(u) = (u_n/||u_n||_{\varepsilon})_n$ is the smoothed-normalization operator of vector fields (the differential of $||\cdot||_{1,\varepsilon}$), and where div $= -\nabla^*$ is minus the adjoint of the gradient.

Since div = $-\nabla^*$, their Lipschitz constants are equal $\| \operatorname{div} \|_{\operatorname{op}} = \| \nabla \|_{\operatorname{op}}$, and is for instance equal to $\sqrt{2d}$ for the discretized gradient operator. Computation shows that the Hessian of $\| \cdot \|_{\varepsilon}$ is bounded by $1/\varepsilon$, so that for the smoothed-TV functional, the Lipschitz constant of the gradient is upper-bounded by

$$L = \frac{\|\nabla\|^2}{\varepsilon} + \|\Phi\|_{\mathrm{op}}^2.$$

Furthermore, this functional is strongly convex because $\|\cdot\|_{\varepsilon}$ is ε -strongly convex, and the Hessian is lower bounded by

$$\mu = \varepsilon + \sigma_{\min}(\Phi)^2$$

where $\sigma_{\min}(\Phi)$ is the smallest singular value of Φ . For ill-posed problems, typically $\sigma_{\min}(\Phi) = 0$ or is very small, so that both L and μ degrades (tends respectively to 0 and $+\infty$) as $\varepsilon \to 0$, so that gradient descent becomes prohibitive for small ε , and it is thus required to use dedicated non-smooth optimization methods detailed in the following chapters. On the good news side, note however that in many case, using a small but non-zero value for ε often leads to better a visually more pleasing results, since it introduce a small blurring which diminishes the artifacts (and in particular the so-called "stair-casing" effect) of TV regularization.

5.6 Examples of Inverse Problems

We detail here some inverse problem in imaging that can be solved using quadratic regularization or non-linear TV.

5.6.1 Deconvolution

The blurring operator (5.1) is diagonal over Fourier, so that quadratic regularization are easily solved using Fast Fourier Transforms when considering periodic boundary conditions. We refer to (5.22) and the correspond explanations. TV regularization in contrast cannot be solved with fast Fourier technics, and is thus much slower.

5.6.2 Inpainting

For the inpainting problem, the operator defined in (5.3) is diagonal in space

$$\Phi = \operatorname{diag}_m(\delta_{\Omega^c}[m]),$$

and is an orthogonal projector $\Phi^* = \Phi$.

In the noiseless case, to constrain the solution to lie in the affine space $\{f \in \mathbb{R}^N ; y = \Phi f\}$, we use the orthogonal projector

$$\forall x, \quad P_y(f)(x) = \begin{cases} f(x) & \text{if } x \in \Omega, \\ y(x) & \text{if } x \notin \Omega. \end{cases}$$

In the noiseless case, the recovery (5.18) is solved using a projected gradient descent. For the Sobolev energy, the algorithm iterates

$$f^{(\ell+1)} = P_y(f^{(\ell)} + \tau \Delta f^{(\ell)}).$$

which converges if $\tau < 2/||\Delta|| = 1/4$. Figure 5.4 shows some iteration of this algorithm, which progressively interpolate within the missing area.

Figure 5.5 shows an example of Sobolev inpainting to achieve a special effect.

For the smoothed TV prior, the gradient descent reads

$$f^{(\ell+1)} = P_y\left(f^{(\ell)} + \tau \operatorname{div}\left(\frac{\nabla f^{(\ell)}}{\sqrt{\varepsilon^2 + \|\nabla f^{(\ell)}\|^2}}\right)\right)$$

which converges if $\tau < \varepsilon/4$.

Figure 5.6 compare the Sobolev inpainting and the TV inpainting for a small value of ε . The SNR is not improved by the total variation, but the result looks visually slightly better.



Figure 5.4: Sobolev projected gradient descent algorithm.



Image f_0

Observation $y = \Phi f_0$

Sobolev f^*

Figure 5.5: Inpainting the parrot cage.

5.6.3 Tomography Inversion

In medical imaging, a scanner device compute projection of the human body along rays $\Delta_{t,\theta}$ defined

$$x \cdot \tau_{\theta} = x_1 \cos \theta + x_2 \sin \theta = t$$

where we restrict ourself to 2D projection to simplify the exposition.

The scanning process computes a Radon transform, which compute the integral of the function to acquires along rays

$$\forall \theta \in [0,\pi), \forall t \in \mathbb{R}, \quad p_{\theta}(t) = \int_{\Delta_{t,\theta}} f(x) \, ds = \iint f(x) \, \delta(x \cdot \tau_{\theta} - t) \, dx$$

see Figure (5.7)

The Fourier slice theorem relates the Fourier transform of the scanned data to the 1D Fourier transform of the data along rays

$$\forall \theta \in [0,\pi) , \ \forall \xi \in \mathbb{R} \quad \hat{p}_{\theta}(\xi) = \hat{f}(\xi \cos \theta, \xi \sin \theta).$$
(5.29)

This shows that the pseudo inverse of the Radon transform is computed easily over the Fourier domain using inverse 2D Fourier transform

$$f(x) = \frac{1}{2\pi} \int_0^{\pi} p_{\theta} \star h(x \cdot \tau_{\theta}) \, d\theta$$

with $\hat{h}(\xi) = |\xi|$.



Sobolev f^* SNR=?dB

 $\begin{array}{c} {\rm TV} \ f^{\star} \\ {\rm SNR}{=}?{\rm dB} \end{array}$

Figure 5.6: Inpainting with Sobolev and TV regularization.

Imaging devices only capture a limited number of equispaced rays at orientations $\{\theta_k = \pi/k\}_{0 \leq k < K}$. This defines a tomography operator which corresponds to a partial Radon transform

$$Rf = (p_{\theta_k})_{0 \leqslant k < K}.$$

Relation (5.29) shows that knowing Rf is equivalent to knowing the Fourier transform of f along rays,

$$\{\hat{f}(\xi\cos(\theta_k),\xi\sin(\theta_k))\}_k$$

We thus simply the acquisition process over the discrete domain and model it as computing directly samples of the Fourier transform

$$\Phi f = (\hat{f}[\omega])_{\omega \in \Omega} \in \mathbb{R}^P$$

where Ω is a discrete set of radial lines in the Fourier plane, see Figure 5.8, right.

In this discrete setting, recovering from Tomography measures $y = Rf_0$ is equivalent in this setup to inpaint missing Fourier frequencies, and we consider partial noisy Fourier measures

$$\forall \, \omega \in \Omega, \quad y[\omega] = \hat{f}[\omega] + w[\omega]$$

where $w[\omega]$ is some measurement noise, assumed here to be Gaussian white noise for simplicity.

The peuso-inverse $f^+ = R^+ y$ defined in (5.7) of this partial Fourier measurements reads

$$\hat{f}^{+}[\omega] = \begin{cases} y[\omega] & \text{if } \omega \in \Omega, \\ 0 & \text{if } \omega \notin \Omega. \end{cases}$$



Figure 5.7: Principle of tomography acquisition.

Figure 5.9 shows examples of pseudo inverse reconstruction for increasing size of Ω . This reconstruction exhibit serious artifact because of bad handling of Fourier frequencies (zero padding of missing frequencies).

The total variation regularization (??) reads

$$f^{\star} \in \underset{f}{\operatorname{argmin}} \frac{1}{2} \sum_{\omega \in \Omega} |y[\omega] - \hat{f}[\omega]|^2 + \lambda ||f||_{\mathrm{TV}}.$$

It is especially suitable for medical imaging where organ of the body are of relatively constant gray value, thus resembling to the cartoon image model introduced in Section ??. Figure 5.10 compares this total variation recovery to the pseudo-inverse for a synthetic cartoon image. This shows the hability of the total variation to recover sharp features when inpainting Fourier measures. This should be contrasted with the difficulties that faces TV regularization to inpaint over the spacial domain, as shown in Figure ??.



Figure 5.8: Partial Fourier measures.



Image f_0

13 projections

32 projections.





Image f_0

Pseudo-inverse

 TV

Figure 5.10: Total variation tomography inversion.

Bibliography

- D. Donoho and I. Johnstone. Ideal spatial adaptation via wavelet shrinkage. *Biometrika*, 81:425–455, Dec 1994.
- [2] Heinz Werner Engl, Martin Hanke, and Andreas Neubauer. *Regularization of inverse problems*, volume 375. Springer Science & Business Media, 1996.
- [3] Stephane Mallat. A wavelet tour of signal processing: the sparse way. Academic press, 2008.
- [4] Gabriel Peyré. L'algèbre discrète de la transformée de Fourier. Ellipses, 2004.
- [5] J. Portilla, V. Strela, M.J. Wainwright, and Simoncelli E.P. Image denoising using scale mixtures of Gaussians in the wavelet domain. *IEEE Trans. Image Proc.*, 12(11):1338–1351, November 2003.
- [6] Otmar Scherzer, Markus Grasmair, Harald Grossauer, Markus Haltmeier, Frank Lenzen, and L Sirovich. Variational methods in imaging. Springer, 2009.